ELSEVIER

Analytica Chimica Acta 407 (2000) 347–349

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Almeida, C.M.N.V.
—, Lapa, R.A.S., Lima, J.L.F.C., Zagatto, E.A.G. and Araújo, M.C.U.
An automatic titrator based on a multicommutated unsegmented flow system. Its application to acid–base titrations 213
Amao, Y.
—, Asai, K. and Okura, I.
Fluorescence quenching oxygen sensor using an aluminum phthalocyanine–polystyrene film 41
Arakawa, H., see Kokado, A. 119
Araújo, M.C.U., see Almeida, C.M.N.V. 213
Asai, K., see Amao, Y. 41
Atsuya, I., see Zhang, Q. 147

Barra, C.M.
—, Cervera, M. Luisa, de la Guardia, M. and Santelli, R.E.
Atomic fluorescence determination of inorganic arsenic in soils after microwave-assisted distillation 155
Barták, P.
—, Bednář, P., Kubáček, L. and Stránský, Z.
Advanced statistical evaluation of complex formation constant from electrophoretic data 327
Bednář, P., see Barták, P. 327
Berovič, M., see Vodopivec, M. 105
Blanco, M.
—, Coello, J., Iturriaga, H., Maspoch, S. and Pérez-Maseda, C.
Circular dichroism spectra of cyclodextrins–ketoprofen inclusion complexes. Determination of enantiomeric purity 233
—, Coello, J., Iturriaga, H., Maspoch, S. and Pérez-Maseda, C.
Determination of polymorphic purity by near infrared spectrometry 247
Bosch-Reig, F., see Doménech-Carbó, A. 275

Caer, J.P.L., see Delaunay, N. 173
Caro de la Torre, M.A.
— and Gómez-Hens, A.
Evaluation of the terbium(III)-sensitized luminescence with benzenepolycarboxylic acids. Determination of terephthalic acid in drink samples 53
Castillo, J.R., see Laborda, F. 301
Catalá Icardo, M.
—, Giménez Romero, D., García Mateo, J.V. and Martínez Calatayud, J.
Flow injection biamperometric determination of chloramine-T in environmental, pharmaceutical and veterinary samples 187
Cervera, M. Luisa, see Barra, C.M. 155
Chaubey, A.
—, Pande, K.K., Singh, V.S. and Malhotra, B.D.
Co-immobilization of lactate oxidase and lactate dehydrogenase on conducting polyaniline films 97
Cheng, G., see Wang, B. 111
Chu, T.-C., see Lu, J.-K. 291
Coello, J., see Blanco, M. 233
Coello, J., see Blanco, M. 247
Costa-Fernández, J.M.
— and Sanz-Medel, A.
Air moisture sensing materials based on the room temperature phosphorescence quenching of immobilized mercurochrome 61
Cromer, M., see Mouginot, Y. 337
Crouch, S.R., see Cullen, T.F. 135
Cullen, T.F.
— and Crouch, S.R.
Factors affecting the accuracy of multicomponent kinetic-spectrophotometric determinations based on multivariate calibration methods 135

de la Guardia, M., see Barra, C.M. 155
De Reu, M., see Vandenabeele, P. 261
Delaunay, N.
—, Pichon, V., Caer, J.P.L. and Hennion, M.C.
Immunoaffinity extraction as a new approach for an improved liquid chromatography-mass spectrometric or fluorimetric determination of okadaic acid in shellfish and algae 173
Deng, J., see Liu, Z. 87
Ding, X.-j.
—, Mou, S.-f., Liu, K.-n., Siriraks, A. and Riviello, J.
Ion chromatography of heavy and transition metals by on- and post-column derivatizations 319
Doménech-Carbó, A.
—, Doménech-Carbó, M.T., Moya-Moreno, M., Gimeno-Adelantado, J.V. and Bosch-Reig, F.
Identification of inorganic pigments from paintings and polychromed sculptures immobilized into polymer film electrodes by stripping differential pulse voltammetry 275
Doménech-Carbó, M.T., see Doménech-Carbó, A. 275
Dong, S., see Wang, B. 111

Edwards, H., see Vandenabeele, P. 261

Fuhrmann, B., see He, Z.K. 203

PII: S0003-2670(00)00714-5

García Mateo, J.V., see Catalá Icardo, M. 187
Giménez Romero, D., see Catalá Icardo, M. 187
Gimeno-Adelantado, J.V., see Doménech-Carbó, A. 275
Gómez-Hens, A., see Caro de la Torre, M.A. 53
Greibrokk, T., see Jara, S. 165
Gresham, G.L., see Stone, M.L. 311
Guo, C., see Yang, X. 45

Haugen, J.-E.
—, Tomic, O. and Kvaal, K.
A calibration method for handling the temporal drift of solid state gas-sensors 23
He, Z.K.
—, Fuhrmann, B. and Spohn, U.
Coulometric microflow titrations with chemiluminescent and amperometric detection of the equivalence points — basic investigations and bromimetric titration of low concentration solutions of arsenite 203
Hennion, M.C., see Delaunay, N. 173
Hoshina, S., see Miyachi, H. 1
Hoshino, H.
—, Suzuki, M., Kan'no, M., Ohmachi, T. and Yotsuyanagi, T.
Room temperature phosphorescence characteristics of platinum(II) chelates with 8-quinolinol derivatives in aqueous micellar solutions 71

Ikebukuro, K., see Miyachi, H. 1
Inoue, S., see Zhang, Q. 147
Iturriaga, H., see Blanco, M. 233, 247

Jančar, J., see Vodopivec, M. 105
Jara, S.
—, Lysebo, C., Greibrokk, T. and Lundanes, E.
Determination of phthalates in water samples using polystyrene solid-phase extraction and liquid chromatography quantification 165

Kan'no, M., see Hoshino, H. 71
Karlberg, B., see Moberg, L. 127
Karube, I., see Miyachi, H. 1
Ko, F.-H., see Lu, J.-K. 291
Kokado, A.
—, Arakawa, H. and Maeda, M.
New electrochemical assay of alkaline phosphatase using ascorbic acid 2-phosphate and its application to enzyme immunoassay 119
Kono, M., see Miyachi, H. 1
Kubáček, L., see Barták, P. 327
Kudryavtsev, A.V.
—, Perminova, I.V. and Petrosyan, V.S.
Size-exclusion chromatographic descriptors of humic substances 193
Kvaal, K., see Haugen, J.-E. 23

Laborda, F.
—, Medrano, J. and Castillo, J.R.
Data acquisition of transient signals in inductively coupled plasma mass spectrometry 301
Lapa, R.A.S.
—, Lima, J.L.F.C. and Santos, J.L.M.
Dual-stopped-flow spectrophotometric determination of amiloride hydrochloride in a multicommutated flow system 225
Lapa, R.A.S., see Almeida, C.M.N.V. 213
Lau, O.-W.
— and Shao, B.
Affinity mass sensors: concept and general considerations 11
Lau, O.-W.
— and Shao, B.
Determination of glucose using a piezoelectric quartz crystal and the silver mirror reaction 17
Li, D., see Liu, Z. 87
Lima, J.L.F.C., see Almeida, C.M.N.V. 213
Lima, J.L., see Lapa, R.A. 225
Liu, K.-n., see Ding, X.-j. 319
Liu, S.P.
—, Liu, Z.F. and Luo, H.Q.
Resonance Rayleigh scattering method for the determination of trace amounts of cadmium with iodide–rhodamine dye systems 255
Liu, Z.
—, Deng, J. and Li, D.
A new tyrosinase biosensor based on tailoring the porosity of Al_2O_3 sol–gel to co-immobilize tyrosinase and the mediator 87
Liu, Z.F., see Liu, S.P. 255
Lu, J.-K.
—, Ko, F.-H., Chu, T.-C., Sun, Y.-C., Wang, M.-Y. and Wang, T.-K.
Evaluation of cleaning efficiency with a radioactive tracer and development of a microwave digestion method for semiconductor processes 291
Lundanes, E., see Jara, S. 165
Luo, H.Q., see Liu, S.P. 255
Lysebo, C., see Jara, S. 165

Maeda, M., see Kokado, A. 119
Malhotra, B.D., see Chaubey, A. 97
Martínez Calatayud, J., see Catalá Icardo, M. 187
Maspoch, S., see Blanco, M. 233, 247
Medrano, J., see Laborda, F. 301
Minami, H., see Zhang, Q. 147
Miyachi, H.
—, Yano, K., Ikebukuro, K., Kono, M., Hoshina, S. and Karube, I.
Application of chimeric RNA–DNA oligonucleotides to the detection of pathogenic microorganisms using surface plasmon resonance 1
Moberg, L.
— and Karlberg, B.
An improved *N,N'*-diethyl-*p*-phenylenediamine (DPD) method for the determination of free chlorine based on multiple wavelength detection 127
Moens, L., see Vandenabeele, P. 261
Morlay, C., see Mouginot, Y. 337
Mou, S.-f., see Ding, X.-j. 319

Mouginot, Y.
—, Morlay, C., Cromer, M. and Vittori, O.
Potentiometric study of copper(II) and nickel(II) complexation by a cross-linked poly(acrylic acid) gel 337
Moya-Moreno, M., see Doménech-Carbó, A. 275

Ohmachi, T., see Hoshino, H. 71
Okura, I., see Amao, Y. 41

Pande, K.K., see Chaubey, A. 97
Pérez-Maseda, C., see Blanco, M. 233, 247
Peng, Y., see Qin, W. 81
Perminova, I.V., see Kudryavtsev, A.V. 193
Petrosyan, V.S., see Kudryavtsev, A.V. 193
Pichon, V., see Delaunay, N. 173
Podgornik, A., see Vodopivec, M. 105
Polson, L.A., see Stone, M.L. 311

Qin, W.
—, Zhang, Z. and Peng, Y.
Plant tissue-based chemiluminescence flow biosensor for urea 81

Riviello, J., see Ding, X.-j. 319

Štrancar, A., see Vodopivec, M. 105
Santelli, R.E., see Barra, C.M. 155
Santos, J.L.M., see Lapa, R.A.S. 225
Sanz-Medel, A., see Costa-Fernández, J.M. 61
Shao, B., see Lau, O.-W. 11, 17
Singh, V.S., see Chaubey, A. 97
Siriraks, A., see Ding, X.-j. 319
Spohn, U., see He, Z.K. 203
Stone, M.L.
—, Gresham, G.L. and Polson, L.A.
Characterization of two polyphosphazene materials as membranes in membrane induction mass spectrometry 311
Stránský, Z., see Barták, P. 327
Sun, Y.-C., see Lu, J.-K. 291
Suzuki, M., see Hoshino, H. 71

Tomic, O., see Haugen, J.-E. 23

Van Hooydonk, G., see Vandenabeele, P. 261
Vandenabeele, P.
—, Wehling, B., Moens, L., Edwards, H., De Reu, M. and Van Hooydonk, G.
Analysis with micro-Raman spectroscopy of natural organic binding media and varnishes used in art 261
Vittori, O., see Mouginot, Y. 337
Vodopivec, M.
—, Berovič, M., Jančar, J., Podgornik, A. and Štrancar, A.
Application of Convective Interaction Media disks with immobilised glucose oxidase for on-line glucose measurements 105

Wang, B.
—, Zhang, J., Cheng, G. and Dong, S.
Amperometric enzyme electrode for the determination of hydrogen peroxide based on sol–gel/hydrogel composite film 111
Wang, K., see Yang, X. 45
Wang, M.-Y., see Lu, J.-K. 291
Wang, T.-K., see Lu, J.-K. 291
Wehling, B., see Vandenabeele, P. 261

Yang, X.
—, Wang, K. and Guo, C.
A fluorescent optode for sodium ion based on the inner filter effect 45
Yano, K., see Miyachi, H. 1
Yotsuyanagi, T., see Hoshino, H. 71

Zagatto, E.A.G., see Almeida, C.M.N.V. 213
Zhang, J., see Wang, B. 111
Zhang, Q.
—, Minami, H., Inoue, S. and Atsuya, I.
Determination of ultra-trace amounts of cobalt in seawater by graphite furnace atomic absorption spectrometry after pre-concentration with Ni/8-quinolinol/1-nitroso-2-naphthol complex 147
Zhang, Z., see Qin, W. 81